



# CERTIFICATE OF CONSTANCY OF PERFORMANCE

## 2204-CPR-0376.1

In compliance with *Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

### STRUCTURAL BEARING. ELASTOMERIC BEARING CR

**Trade mark: TENS RUBBER CR**

manufactured in Polychloroprene Rubber, compound labeled as "CR 339.15" as the raw polymer with dimensions in plan less than or equal to 900x900 mm as laminated elastomeric bearing type B, C and laminated elastomeric bearing with flat sliding surface type E, in accordance with Table 2 of EN 1337-3, for minimum operating temperature of -25°C and maximum operating temperature +50°C (and for short periods up to +70°C)

**Intended use: buildings and civil engineering works where requirements on individual bearings are critical**

**Placed on the market by TENSACCIAI S.r.l.,  
Head office: Via Pordenone 8, 20132 – Milan, ITALY,**

**and produced in the manufacturing plants A, B and C (detailed in the annex no. 1).**


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 1337-3:2005**

under system 1 for the performances set out in this certificate are applied and that the performances of the construction product is assessed to remain constant.

This certificate was first issued on **24<sup>th</sup> November 2015** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

**Executive Director,  
Dipl.Eng. Genica ANTOHE**



**Professional Valuer,  
Assoc.Prof.Dipl.Eng. Aurelia MIHALCEA, PhD**

\* This certificate is valid only together with annex.

24<sup>th</sup> November 2015

Certification body